


PRODUCT NO	REMARKS
10038334-001LF	NOTE ⑥,⑦



RECOMMENDED PCB LAYOUT

NOTES : (Cont'd)

- 5 THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- ⑥ THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- ⑦ PART NUMBERS ENDING IN "LF" MEANS FOR NOTE 6 LEAD FREE IDENTIFICATION. P/N XXXXXXXX-XXXLF IS EQUIVALENT TO PREVIOUS P/N XXXXXXXX-XXX.

mat'l. code		surface ISO 1302 <input checked="" type="checkbox"/>		tolerance ISO 406 ISO 1101		projection		product family SAS	
ltr	ecn no	dr	date		tolerances unless otherwise specified		title		
B					angles linear = +0,20		mm		SAS RECEPTACLE EXTENDED HEIGHT VERTICAL SMT TYPE ASSY
					± 2°		scale 2 : 1		
		dr	GL	L00	2004-12-15			dwg no sheet 2 of 2 size	
		enr	GL	L00	2004-12-15			10038334 A4	
		chr	GL	L00	2006-10-20				
		appd	JOEY NG		2006-10-20			type CUSTOMER Drawing	
sheet index	revision sheet	1							

PDM: Rev:B

STATUS: Released

Printed: Jul 10, 2009

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

FCI CONFIDENTIAL

FCIconnect.com