



# FSA8008 Audio Jack Detection and Configuration Switch

## Features

	Accessory Plug-In
Detection	3- or 4-Pole Audio Jack
	Send/End Key Pressed
Switch Type	MIC
V <sub>DD</sub>	2.5 to 4.4V
V <sub>IO</sub>	1.6 to V <sub>DD</sub>
THD (MIC)	0.01% Typical
ESD (Air Gap)	15kV
Operating Temperature	-40°C to 85°C
Package	10-Lead UMLP
	1.4x1.8x0.5mm, 0.4mm Pitch
Top Mark	KC
Ordering Information	FSA8008UMX

## Applications

- 3.5mm and 2.5mm Audio Jacks
- Cellular Phones, Smartphones
- MP3 and PMP

## **Typical Application**


## Description

The FSA8008 is an audio jack detector and switch for 3- or 4-pole accessories. In addition to detection, the FSA8008 features an integrated MIC switch that allows the processor to configure the audio jack. The architecture is designed to allow common third-party headphones to be used for listening to music from mobile handsets, personal media players, and portable peripheral devices.

- Determines 3- or 4-Pole Audio Jacks
- Removes Audio Jack Pop-n-Click Caused by MIC Bias
- Detects Audio Jack Accessories:
  - Standard Headphones
  - Headsets with MIC
- Send / End Button Presses
- Integrates a MIC Switch for 4-Pole Configuration

## **Related Resources**

- FSA8008 Demonstration Board
- For samples and questions, please contact: <u>Analog.Switch@fairchildsemi.com</u>.



#### **Physical Dimensions** □ 0.15 C 1.40 - A 2X - 1.700 9X 0.563 В 0.663 1.80 2.100 **PIN #1 QUADRANT** 0.400 ○ 0.15 C 2X 10X TOP VIEW RECOMMENDED LAND PATTERN 0.55 MAX. - 1.450 -9X // 0.10 C 0.550 0.450 0 152 SEATING 0.08 C PLANE 0.050 -Ċ 0.400 1.850 SIDE VIEW 10X DETAIL OPTIONAL MINIMIAL TOE LAND PATTERN 0.40 9X 0.35 E 0.45 E 10 0.45 0.500 0.55 0.15 10X 0.25 0.100 0.10 C A B $\oplus$ 0.05 C 0.100 0.100 BOTTOM VIEW DETAIL A PIN #1 TERMINAL SCALE: 2X NOTES: A. DIMENSIONS ARE IN MILLIMETERS. **B. DIMENSIONS AND TOLERANCES PER** ASME Y14.5M. 1994 C. DRAWING FILENAME: UMLP10Arev2

## Figure 4. 10-Lead UMLP Package Drawing

Package drawings are provided as a service to customers considering Fairchild components. Drawings may change in any manner without notice. Please note the revision and/or date on the drawing and contact a Fairchild Semiconductor representative to verify or obtain the most recent revision. Package specifications do not expand the terms of Fairchild's worldwide terms and conditions, specifically the warranty therein, which covers Fairchild products.

Always visit Fairchild Semiconductor's online packaging area for the most recent package drawings: <u>http://www.fairchildsemi.com/packaging/</u>.

## **Ordering Information**

P	Part Number	Operating Temperature Range	Top Mark	Package
F	SA8008UMX	-40 to +85°C	KC	10-Lead 1.4 x 1.8 x 0.55mm, 0.4mm pitch Ultrathin Molded Leadless Package (UMLP)



SEMICONDUCTOR

#### TRADEMARKS

The following includes registered and unregistered trademarks and service marks, owned by Fairchild Semiconductor and/or its global subsidiaries, and is not intended to be an exhaustive list of all such trademarks.

AccuPower <sup>TM</sup> Auto-SPMTM AX-CAPTM <sup>#</sup> Build it NowT <sup>IM</sup> CorePLUST <sup>IM</sup> CarePOWERTM CROSSVOL7TM CTLT <sup>IM</sup> CUrrent Transfer LogicTM DEUXPEED <sup>®</sup> Dual Cool <sup>TM</sup> EcosPARK <sup>®</sup>	F-PFS™ FRFET® Global Power Resource <sup>®</sup> Green FPS™ G <i>max</i> ™ GTO™ IntelliMAX™ ISOPLANAR™ MegaBuck™ MICROCOUPLER™ MicroFET™
EfficientMax™ ESBC™ F®	MicroPak™ MicroPak2™ MillerDrive™
Fairchild® Fairchild® FACT Quiet Series™ FACT® FAST® FAST® FastvCore™ FETBench™ FlashWriter®	MotionMax™ Motion-SPM™ mVVSaver™ OptoHiT™ OPTOLOGIC® OPTOPLANAR®
FPS™	PDP SPM "



The Right Technology for Your Success™ tranchise TinyBoost™ TinyBoost™ TinyLogic® TINYOPTO™ TinyPower™ TinyPower™ TinyPower™ TinyWM™ TinyWM™ TinFault Detect™ TRUECURRENT™\*

The Power Franchise®



Ultra FRFET™ UniFET™ VCX™ VisualMax™ XS™

\* Trademarks of System General Corporation, used under license by Fairchild Semiconductor.

### DISCLAIMER

FAIRCHILD SEMICONDUCTOR RESERVES THE RIGHT TO MAKE CHANGES WITHOUT FURTHER NOTICE TO ANY PRODUCTS HEREIN TO IMPROVE RELABILITY, FUNCTION, OR DESIGN, FAIRCHILD DOES NOT ASSUME ANY LIABILITY ARISING OUT OF THE APPLICATION OR USE OF ANY PRODUCT OR CIRCUIT DESCRIBED HEREIN; NEITHER DOES IT CONVEY ANY LICENSE UNDER ITS PATENT RIGHTS, NOR THE RIGHTS OF OTHERS. THESE SPECIFICATIONS DO NOT EXPAND THE TERMS OF FAIRCHILD'S WORLDWIDE TERMS AND CONDITIONS, SPECIFICALLY THE WARRANTY THEREIN, WHICH COVERS THESE PRODUCTS.

### LIFE SUPPORT POLICY

FAIRCHILD'S PRODUCTS ARE NOT AUTHORIZED FOR USE AS CRITICAL COMPONENTS IN LIFE SUPPORT DEVICES OR SYSTEMS WITHOUT THE EXPRESS WRITTEN APPROVAL OF FAIRCHILD SEMICONDUCTOR CORPORATION.

As used herein:

- Life support devices or systems are devices or systems which, (a) are intended for surgical implant into the body or (b) support or sustain life, and (c) whose failure to perform when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in a significant injury of the user.
- A critical component in any component of a life support, device, or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

### ANTI-COUNTERFEITING POLICY

Fairchild Semiconductor Corporation's Anti-Counterfeiting Policy. Fairchild's Anti-Counterfeiting Policy is also stated on our external website, www.fairchildsemi.com, under Sales Support.

Counterfeiting of semiconductor parts is a growing problem in the industry. All manufacturers of semiconductor products are experiencing counterfeiting of their parts. Customers who inadvertently purchase counterfeit parts experience many problems such as loss of brand reputation, substandard performance, failed applications, and increased cost of production and manufacturing delays. Fairchild is taking strong measures to protect ourselves and our customers from the proliferation of counterfeit parts. Fairchild strongly encourages customers to purchase Fairchild parts either directly from Fairchild or from Authorized Fairchild Distributors who are listed by country on our web page cited above. Products customers buy either from Fairchild directly or from Authorized Fairchild Distributors are genuine parts, have full traceability, meet Fairchild's quality standards for handling and storage and provide access to Fairchild's full range of up-to-date technical and product information. Fairchild and our Authorized Distributors will stand behind all warranties and will appropriately address any warranty issues that may arise. Fairchild will not provide any warranty coverage or other assistance for parts bought from Unauthorized Sources. Fairchild is committed to combat this global problem and encourage our customers to do their part in stopping this practice by buying direct or from authorized distributors.

#### PRODUCT STATUS DEFINITIONS

#### Definition of Terms

Datasheet Identification Product Status		Definition	
Advance Information	Formative / In Design	Datasheet contains the design specifications for product development. Specifications may change in any manner without notice.	
Preliminary	First Production Datasheet contains preliminary data; supplementary data will be published at a la Semiconductor reserves the right to make changes at any time without notice to i		
No Identification Needed	Full Production	Datasheet contains final specifications. Fairchild Semiconductor reserves the right to make cha at any time without notice to improve the design.	
Obsolete	Not In Production	Datasheet contains specifications on a product that is discontinued by Fairchild Semiconductor. The datasheet is for reference information only.	

Rev. 152