

Precision 2.92mm Male to 2.92mm Male Adapter



TECHNICAL DATA SHEET

PE9436

Precision 2.92mm Male to 2.92mm Male Adapter

Configuration	Co	nfiq	uration
---------------	----	------	---------

Connector 12.92mm MaleImpedance 150 OhmsConnector 22.92mm MaleImpedance 250 OhmsAdapter DesignPrecisionBody StyleStraight

Electrical Specifications

Frequency Range, GHz DC to 40
Maximum VSWR 1.25:1

Frequency 1

Frequency, GHz DC to 18 VSWR 1.1:1

Frequency 2

Frequency, GHz 18 to 26.5 VSWR 1.15:1

Frequency 3

Frequency, GHz 26.5 to 40 VSWR 1.25:1

Mechanical Specifications

Size

Length, in [mm] 0.8 [20.32] Width/Dia., in [mm] 0.312 [7.92]

Connector 1

Type 2.92mm Male Hex Size, in 5/16

Connector 2

Type 2.92mm Male Hex Size, in 5/16

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant Ye

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision 2.92mm Male to 2.92mm Male Adapter PE9436

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

ISO 9001 : 2008 Registered



Precision 2.92mm Male to 2.92mm Male Adapter



TECHNICAL DATA SHEET

PE9436

Plotted and Other Data

Notes:

Values at 25 °C, sea level

URL: http://www.pasternack.com/2.92mm-male-2.92mm-male-straight-adapter-pe9436-p.aspx

Precision 2.92mm Male to 2.92mm Male Adapter from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



PE9436 CAD Drawing

Precision 2.92mm Male to 2.92mm Male Adapter

