

UHF Male to BNC Male Adapter



PE9201

TECHNICAL DATA SHEET

UHF Male to BNC Male Adapter	
Configuration Connector 1 Impedance 1 Connector 2 Impedance 2 Adapter Design Body Style	UHF Male 50 Ohms BNC Male 50 Ohms Standard Straight
Mechanical Specifications	
Size Length, in [mm] Width/Dia., in [mm]	1.483 [37.67] 0.7 [17.78]
Connector 1 Type Inner Conductor Material and Plating Coupling Nut Material and Plating Body Material and Plating Dielectric Type	UHF Male Brass, Gold Brass, Nickel Brass, Nickel Teflon
Connector 2 Type Inner Conductor Material and Plating Coupling Nut Material and Plating Body Material and Plating Dielectric Type	BNC Male Brass, Gold Brass, Nickel Brass, Nickel Teflon
Compliance Certifications (visit www.Pasterna RoHS Compliant	ck.com for current document) Yes
Plotted and Other Data Notes:	Values at 25 °C, sea level
URL: http://www.pasternack.com/uhf-male-bnc-	-male-straight-adapter-pe9201-p.aspx
	k Enterprises has same day shipment for domestic and International maintain a 99% availability and are part of the broadest selection in the

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com



1

PE9201 CAD Drawing

UHF Male to BNC Male Adapter

